

2016 High School Youth Risk Behavior Survey/Youth Tobacco Survey Trend Report

QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	18.2	14.2	▼
Allegany	18.7	13.0	▼
Anne Arundel	20.2	15.6	▼
Calvert	19.2	13.8	▼
Caroline	22.7	15.3	▼
Carroll	18.0	13.3	▼
Cecil	23.3	15.3	▼
Charles	20.1	14.7	▼
Frederick	19.5	12.8	▼
Garrett	25.8	20.8	▼
Harford	19.0	15.5	▼
Howard	15.7	11.8	▼
Montgomery	15.6	11.2	▼
Prince Georges'	18.1	14.5	▼
Saint Mary's	20.2	15.1	▼
Washington	18.0	13.7	▼
Wicomico	20.4	16.8	▼
Worcester	23.8	17.1	▼

QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	7.1	5.9	▼
Allegany	11.0	6.2	▼
Anne Arundel	10.3	7.0	▼
Caroline	15.0	8.1	▼
Cecil	9.8	6.1	▼
Garrett	17.2	7.1	▼
Montgomery	6.0	3.6	▼

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2016 High School Youth Risk Behavior Survey/Youth Tobacco Survey Trend Report

QN11: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)

<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	26.1	28.1	▲
Talbot	31.1	42.2	▲

QN13: Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)

<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	4.3	7.4	▲
Allegany	3.7	6.2	▲
Anne Arundel	4.0	7.7	▲
Baltimore County	5.4	8.5	▲
Calvert	3.7	5.8	▲
Caroline	5.5	8.4	▲
Carroll	2.5	5.3	▲
Charles	4.5	7.0	▲
Dorchester	6.5	12.0	▲
Frederick	4.1	5.8	▲
Garrett	6.7	10.7	▲
Harford	4.4	6.6	▲
Howard	2.7	4.8	▲
Montgomery	2.6	5.0	▲
Prince Georges'	4.0	8.0	▲
Saint Mary's	3.9	7.0	▲
Talbot	3.5	5.7	▲
Washington	5.1	7.4	▲

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2016 High School Youth Risk Behavior Survey/Youth Tobacco Survey Trend Report

QN18: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	12.2	12.2	No Change
Queen Anne's	14.5	9.7	▼

QN19: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	8.1	8.8	▲
Baltimore County	6.9	9.3	▲

QN21: Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	10.3	6.0	▼
Anne Arundel	11.8	7.7	▼
Baltimore County	9.9	5.4	▼
Calvert	11.2	7.0	▼
Caroline	12.4	7.3	▼
Carroll	10.7	7.3	▼
Cecil	9.5	5.7	▼
Charles	10.8	6.5	▼
Frederick	12.0	6.4	▼
Harford	10.0	6.5	▼
Howard	10.2	6.1	▼
Montgomery	10.7	5.4	▼
Prince Georges'	9.4	5.5	▼
Queen Anne's	15.8	6.8	▼
Saint Mary's	10.7	6.6	▼
Somerset	13.5	5.4	▼
Talbot	11.0	5.6	▼
Washington	10.9	6.5	▼
Wicomico	10.6	6.3	▼

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2016 High School Youth Risk Behavior Survey/Youth Tobacco Survey Trend Report

QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)

<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	10.1	9.9	No Change
Montgomery	9.5	6.3	▼
Queen Anne's	12.6	9.1	▼

QN23: Percentage of students who were bullied on school property (ever during the 12 months before the survey)

<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	17.7	18.2	No Change
Prince Georges'	12.1	14.5	▲
Queen Anne's	24.9	20.9	▼

QN24: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)

<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	13.8	14.1	No Change
Cecil	17.6	15.0	▼
Garrett	15.0	20.9	▲
Queen Anne's	19.3	15.5	▼
Talbot	12.3	15.2	▲
Wicomico	16.4	13.6	▼

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2016 High School Youth Risk Behavior Survey/Youth Tobacco Survey Trend Report

QN25: Percentage of students who felt sad or hopeless (almost every day for ≥ 2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	26.8	29.9	▲
Allegany	25.8	33.2	▲
Anne Arundel	27.4	32.4	▲
Baltimore County	26.7	30.3	▲
Calvert	25.3	28.6	▲
Charles	25.0	28.7	▲
Dorchester	25.2	33.2	▲
Garrett	24.8	33.1	▲
Harford	26.8	30.4	▲
Howard	23.5	26.4	▲
Kent	23.3	30.7	▲
Prince Georges'	27.3	31.5	▲
Talbot	21.6	26.3	▲
Washington	26.8	30.2	▲

QN26: Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	15.9	17.3	▲
Allegany	16.9	21.6	▲
Anne Arundel	17.0	19.5	▲
Baltimore County	15.3	18.0	▲
Dorchester	16.7	24.1	▲
Prince Georges'	14.7	17.7	▲
Queen Anne's	19.5	14.9	▼

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2016 High School Youth Risk Behavior Survey/Youth Tobacco Survey Trend Report

QN32: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	8.7	8.2	No Change
Calvert	12.7	9.9	▼
Caroline	18.8	13.9	▼
Cecil	16.7	10.1	▼
Saint Mary's	15.6	11.7	▼

QN34: Percentage of students who ever used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo])			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	37.6	35.3	▼
Calvert	38.7	34.2	▼
Harford	41.4	34.6	▼
Howard	32.1	27.6	▼
Kent	33.3	44.1	▲

QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	10.3	9.0	▼
Anne Arundel	12.8	10.4	▼
Cecil	14.8	10.3	▼
Harford	12.0	9.5	▼
Prince Georges'	9.2	6.9	▼
Saint Mary's	11.9	9.2	▼
Wicomico	13.4	9.7	▼

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2016 High School Youth Risk Behavior Survey/Youth Tobacco Survey Trend Report

QN40: Percentage of students who ever drank alcohol (at least one drink of alcohol, on at least 1 day during their life)			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	52.3	53.5	No Change
Carroll	53.4	58.4	▲
Kent	59.5	68.6	▲

QN41: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	17.3	15.7	▼
Allegany	20.9	16.6	▼
Caroline	25.5	21.5	▼
Cecil	20.8	16.6	▼
Garrett	31.0	25.3	▼
Montgomery	15.0	12.6	▼
Queen Anne's	20.1	16.2	▼

QN42: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	26.1	25.5	No Change
Caroline	31.3	25.8	▼
Cecil	35.3	31.1	▼
Harford	33.7	29.7	▼
Queen Anne's	34.7	41.0	▲
Washington	31.7	28.0	▼

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2016 High School Youth Risk Behavior Survey/Youth Tobacco Survey Trend Report

QN47: Percentage of students who tried marijuana for the first time before age 13 years			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	8.0	7.3	▼
Cecil	10.4	8.1	▼
Harford	8.4	6.5	▼
Queen Anne's	10.6	6.7	▼
Worcester	12.1	8.0	▼

QN57: Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	3.6	3.8	No Change
Dorchester	4.9	12.7	▲
Howard	1.9	2.8	▲
Queen Anne's	7.3	3.4	▼

QN60: Percentage of students who had sexual intercourse for the first time before age 13 years			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	5.0	4.3	▼
Calvert	4.5	2.9	▼
Queen Anne's	5.2	3.2	▼
Talbot	5.3	2.8	▼
Worcester	7.6	4.7	▼

QN61: Percentage of students who had sexual intercourse with four or more persons during their life			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	8.6	7.7	▼
Cecil	11.5	8.0	▼
Prince Georges'	8.9	6.6	▼
Washington	8.9	6.8	▼

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2016 High School Youth Risk Behavior Survey/Youth Tobacco Survey Trend Report

QN63: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	23.7	21.2	▼
Anne Arundel	28.7	22.4	▼
Harford	29.5	22.0	▼

QN64: Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	61.3	56.9	▼
Anne Arundel	61.9	55.2	▼
Frederick	61.8	52.4	▼
Talbot	59.1	48.9	▼
Washington	59.6	51.2	▼
Worcester	50.7	48.1	▼

QN68: Percentage of students who described themselves as slightly or very overweight			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	26.2	27.1	▲
Anne Arundel	26.4	29.8	▲
Baltimore County	24.6	27.5	▲
Washington	31.4	28.6	▼

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2016 High School Youth Risk Behavior Survey/Youth Tobacco Survey Trend Report

QN79: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	36.9	35.2	▼
Allegany	46.9	40.4	▼
Calvert	43.6	39.3	▼
Cecil	38.4	35.1	▼
Harford	38.2	34.5	▼
Queen Anne's	37.9	43.6	▲

QN80: Percentage of students who watched television 3 or more hours per day (on an average school day)

<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	26.7	22.1	▼
Allegany	26.2	22.3	▼
Anne Arundel	26.2	22.1	▼
Calvert	24.1	20.6	▼
Caroline	31.0	25.3	▼
Cecil	26.9	23.5	▼
Charles	32.7	28.1	▼
Dorchester	31.8	24.7	▼
Frederick	22.8	18.1	▼
Harford	26.7	22.7	▼
Howard	18.9	15.4	▼
Prince Georges'	35.4	26.3	▼
Queen Anne's	24.1	20.1	▼
Saint Mary's	27.2	22.1	▼
Somerset	35.6	28.2	▼
Talbot	24.4	20.2	▼
Washington	24.6	21.1	▼
Wicomico	30.2	26.4	▼
Worcester	26.7	19.0	▼

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2016 High School Youth Risk Behavior Survey/Youth Tobacco Survey Trend Report

QN81: Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)

<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	38.3	38.0	No Change
Allegany	40.6	44.7	▲
Baltimore County	38.4	42.1	▲

QN82: Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)

<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	37.6	36.4	No Change
Carroll	37.0	30.9	▼

QN94: Percentage of students who smoked a whole cigarette before age 13 years (for the first time)

<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	7.1	7.1	No Change
Caroline	14.3	10.5	▼
Somerset	17.5	9.6	▼

QN117: Percentage of students who have an adult outside of school they can talk to about things that are important to them

<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	84.4	83.7	No Change
Prince Georges'	82.0	79.3	▼

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2016 High School Youth Risk Behavior Survey/Youth Tobacco Survey Trend Report

QN118: Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	78.2	77.0	▼
Allegany	84.3	80.9	▼
Carroll	83.5	80.6	▼
Charles	77.5	75.5	▼
Dorchester	79.7	72.5	▼
Queen Anne's	76.5	82.0	▲

QN120: Percentage of students who strongly agree or agree that their teachers really care about them and give them a lot of encouragement			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	52.8	55.1	▲
Anne Arundel	51.2	54.3	▲
Frederick	52.3	56.6	▲
Howard	54.9	57.9	▲
Montgomery	53.9	59.4	▲
Saint Mary's	48.0	53.6	▲

QNOTHHPL: Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	23.7	27.7	▲
Anne Arundel	24.1	33.5	▲
Frederick	25.5	33.5	▲
Montgomery	17.1	25.1	▲

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2016 High School Youth Risk Behavior Survey/Youth Tobacco Survey Trend Report

QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	14.6	15.8	No Change
Talbot	17.6	9.9	▼

QNOWT: Percentage of students who were overweight (\geq 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	14.9	15.2	No Change
Charles	14.3	17.2	▲

QNOBESE: Percentage of students who had obesity (\geq 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	11.5	12.6	▲
Baltimore County	12.4	14.7	▲
Saint Mary's	10.3	12.9	▲
Wicomico	11.9	16.1	▲

QNDLYPE: Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	15.6	15.3	No Change
Baltimore County	3.8	5.8	▲
Cecil	26.1	4.6	▼

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2016 High School Youth Risk Behavior Survey/Youth Tobacco Survey Trend Report

QNFR1: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	56.6	53.9	▼
Baltimore County	56.5	51.3	▼
Charles	54.3	51.2	▼
Dorchester	51.1	40.5	▼
Frederick	60.0	57.4	▼
Washington	54.2	48.1	▼
Worcester	56.8	50.6	▼

QNVEG3: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	13.4	12.0	▼
Dorchester	16.3	9.0	▼
Montgomery	16.4	14.6	▼
Saint Mary's	14.3	11.3	▼
Washington	12.8	10.8	▼
Worcester	16.1	11.8	▼

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2016 High School Youth Risk Behavior Survey/Youth Tobacco Survey Trend Report

QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)			
<i>Jurisdiction</i>	<i>2014</i>	<i>2016</i>	<i>Significant Change</i>
Maryland	16.6	14.0	▼
Allegany	28.8	22.6	▼
Anne Arundel	19.0	16.7	▼
Caroline	23.0	17.0	▼
Carroll	17.0	14.2	▼
Cecil	22.1	18.1	▼
Charles	15.5	13.8	▼
Dorchester	26.4	20.4	▼
Howard	10.0	7.9	▼
Montgomery	10.7	8.3	▼
Prince Georges'	15.8	13.0	▼
Queen Anne's	16.6	13.7	▼
Saint Mary's	19.7	15.5	▼
Washington	23.4	17.9	▼
Wicomico	22.6	18.8	▼
Worcester	22.6	17.0	▼

- ▲ = Statistically significant upward trend (based on t-test analysis, p<0.05)
- ▼ = Statistically significant downward trend (based on t-test analysis, p<0.05)
- = "Negative" trend perception
- = "Positive" trend perception